

Product Handling Information Sheet SustaPEEK black

1. Company					
Name/Address	Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein				
2. Product details					
Product/Article	Engineering semi-finished product				
Abbreviated terms	PEEK				
Material Characterisation	Thermoplastic				
Main Components	 polyetheretherketone evtl. colour pigments				
Components Subject to labelling	none				
Classification according to REACh	Article				
Notes					
3. Product characteristics					
Form/State	• firm				

T offit/State	• 10m
Color	black
Odour	• odourless
Density	1,32
Melting range	343
Glass transition temperature	-
Thermal decomposition	>500°C
Flash point	_



Röchling

Industrial

3. Product characteristics		
Ignition temperature	>575°C	
Notes	-	

4. Danger warnings					
Special Risks For Mankind And The Environment	none				
Notes					
5. Handling and Storage					
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. 				
Storage	 horizontally dry protected against climatic influences 				
Safety measures					
Shelf Life	-				

6. Transport	
Transport	 Non dangerous goods according to the transport regulations.
Finished Product Packing	-
Notes	-

_

7. Fire – fighting measures	
Suitable extinguishing agents	water
	• foam
	 dry extinguishing media
	• CO ₂



Print: 01/05/2025 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 870 • PIM-ID: 591286 • PIM-Code: 870-45

Notes

Röchling

Industrial

7. Fire – fighting measures				
Potential combustion products	carbon monoxide			
Necessary protection equipment	Complete protection equipment for fire-brigade.			
	Use self-contained air respirators.			
Notes	_			

8. Removal						
Recyclability	Check possibility of recycling.					
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".					
Waste Removal	Can be recycled and/or has to be conveyed to a suitable dump or a suitable combustic plant.					
EC Waste Code	 12 01 05 plastics shavings and turnings 07 02 13 waste plastic 					
Notes						
9. Marking and Guidelines						

Marking in accordance with EEC Guideline not subject to labelling								
Notes			-					

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemical no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets

11. Other Information	
Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.



Print: 01/05/2025 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 870 • PIM-ID: 591286 • PIM-Code: 870-45