

## **Product Handling Information Sheet**

## Maywotron® ABS/TPU Sur-R

1. Company		
Name/Address	Röchling Industrial Allgäu GmbH  Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 9857-0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach	
2. Product details		
Product/Article	Technical semi-finished product or machined part	
Abbreviated terms	ABS / TPU	
Material Characterisation	Thermoplastic	
Main Components	<ul><li>acrylonitrile butadiene styrene</li><li>thermoplastic polyurethanes</li><li>colour pigments and possibly additives</li></ul>	
Components Subject to labelling	none	
Classification according to REACh	Article	
Notes	<del>-</del>	
3. Product characteristics		
Form/State	• firm	
Color	-	
Odour	nearly odourless	
Density	1,10	
Melting range	>180°C	
Glass transition temperature	-	
Thermal decomposition	> 230°C	





3. Product characteristics	
Flash point	-
Ignition temperature	> 350°C
Notes	-
4. Danger warnings	
Special Risks For Mankind A Environment	and The none
Notes	_
5. Handling and Storage	
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> </ul>
	Before machining the product should have room temperature and/or to be stored for
	min. 24h under normal climatic conditions.
Storage	horizontally
	<ul><li> dry</li><li> protected against frost</li></ul>
	protected against flost     protected against climatic influences
	product protect against frost
Safety measures	Provide suitable exhaust ventilation at the drying process and in the area
	surrounding the melt outlet of processing machines.
	Wear gloves to prevent contact during mechanical processing and/or hot melt
	conditions.
Shelf Life	Wear splash goggles to protect from hot molten substance/product.
Notes	
6. Transport	
Transport	<ul> <li>Non dangerous goods according to the transport regulations.</li> </ul>
	Secure against slipping.
Finished Product Packing	<u>-</u>
Notes	-





7. Fire – fighting measures	
Suitable extinguishing agents	<ul> <li>water</li> <li>foam</li> <li>CO<sub>2</sub></li> <li>dry powder extinguishing agents</li> </ul>
Potential combustion products	CO CO HCN NO isocyanate
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes	Molten product has to be cooled with water. Fire residues and contaminated extinguishing water must be collected and disposed of according to the local instructions.
3. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>
Notes	
9. Marking and Guidelines	
Marking in accordance with EEC Gui	ideline no labelling required
Notes	-







Information about REACh

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.-

## 11. Other Information

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



