

Product Handling Information Sheet

Durostone® UPM 203

Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren
Technical semi-finished product or machined part
GFK-UP
Glass-fiber reinforced polyester resin in hardened condition
 glass-fiber polyester resin stabiliser fillers additives
none
Article
_
• firm
grey
typical material smell





3. Product characteristics		
Glass transition temperature	-	
Thermal decomposition	-	
Flash point	None, with intended use	
Ignition temperature	-	
Notes	-	

4. Danger warnings

Special Risks For Mankind And The Environment	none
Notes	According to IARC glass fibre filaments cannot be classified as carcinogenic with humans (IARC group 3). The diameter of the glass fibre filaments which are used in this laminated material is outside of the lung-usual range from 3 μ m so that the danger of chronic lung damage is minimal. The diameter or the used glass fibre filaments amounts to 5 – 16 μ m (typical 12 μ m). Their diameter is not reduced by treatment of these fibres, i. e. it's potential lung freedom of movement does not increase.

5. Handling and Storage		
Handling		 Product can be worked with conventional machines and tools. For the machining special tools should be used such as tungsten carbides drill / PKD or diamond-equipped tools.
Storage		 horizontally dry protected against frost protected against climatic influences
Safety measures		 Provide effective dust extraction when processing and machining. Carry protective mask and protective goggles at dusty condition.
Shelf Life		-
Notes		

6. Transport

Transport	Non dangerous goods according to the transport regulations.
	Secure against slipping.





6. Transport	
Finished Product Packing	-
Notes	_
7. Fire – fighting measures	
Suitable extinguishing agents	watersandfoamCO₂
Potential combustion products	 CO CO₂ other toxic gases
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes	-
8. Removal	
	Charle massibility of manualing
Recyclability EC Waste Catalog	Check possibility of recycling. The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	10 11 03 waste glass-based fibrous materials
Notes	_
9. Marking and Guidelines	
Marking in accordance with EEC Guid	eline no labelling required
Notes	-
10. Information about REACh	







Information about REACh

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.-

11. Other Information

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



