

Product Handling Information Sheet

Foamlite® P 652 + UV-stabilized grey

1. Company			
Name/Address	Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 7 info@roechling-plastics.com • www.roechling.com/industrial/haren	Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0	
2. Product details			
Product/Article	Technical semi-finished product or machined part		
Abbreviated terms	PP		
Material Characterisation	Semi crystalline plastic		
Main Components	polypropylenestabiliseradditives		
Components Subject to labelli	g none		
Classification according to RE	Ch Article		
Notes	-		
3. Product characteristics			
Form/State	• firm		
Color	grey	grey	
Odour	nearly odourless	nearly odourless	
Density	0,65	0,65	
Melting range	162 167	162 167	
Glass transition temperature	-		
Thermal decomposition	> 390°C		





3. Product characteristics				
Flash point		≈ 340°C		
Ignition temperature Notes		> 300°C		
4. Danger warnings				
Special Risks For Mankind And The Environment		none		
Notes		_		
5. Handling and Storage				
Handling		Product can be worked with conventional machines and tools.		
January Comments		 Before machining the product should have room temperature and/or to be stored for 		
		min. 24h under normal climatic conditions.		
Storage		horizontally		
		• dry		
		protected against climatic influences		
Safety measures				
Shelf Life		-		
Notes		-		
6. Transport				
Transport		Non dangerous goods according to the transport regulations.Secure against slipping.		
Finished Product Packing		-		
Notes				
7. Fire – fighting measures				
7. The - lighting measures	'			



Industrial



Suitable extinguishing agents	• water
	• foam
	• CO ₂
	dry powder extinguishing agents
Potential combustion products	• CO
	• CO ₂
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	12 01 05 plastics shavings and turnings20 01 39 plastics
Notes	-

9. Marking and Guidelines

Marking in accordance with EEC Guideline no labelling required

Notes -

10. Information about REACh

Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are
	clearly defined as articles, exempt from registration. The EU regulation about chemicals
	no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material
	Safety Data Sheets only for dangerous substances and preparations. According to
	REACh we are manufacturing articles and, therefore, not required to issue safety
	sheets

11. Other Information







Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



