

### **Product Handling Information Sheet** LubX<sup>®</sup> CV natural

\_

1. Company						
Name/Address		Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren				
2. Product details						
Product/Article	Technical semi-finished product or machined part					
Abbreviated terms	PE-UHMW / PE 1000					
Material Characterisation	Semi crystalline plastic					
Main Components	<ul> <li>polyethylene</li> <li>possibly olefin-copolymerisate</li> <li>stabiliser</li> <li>additives</li> </ul>					
Components Subject to label	g none					
Classification according to RE	Ch Article					
Notes	-					
3. Product characteristics						
Form/State	-					
		• firm				
Color	natural					
Odour	nearly odourless					
Density	0,94	0,94				
Melting range	133 – 135	133 – 135				



Glass transition temperature

## Röchling

Industrial

3. Product characteristics			
Thermal decomposition	> 390°C		
Flash point	-		
Ignition temperature	> 350°C		
Notes	_		

Special Risks For Mankind And The Environment		none				
Notes		_				
5. Handling and Storage						
Handling		<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>				
Storage		<ul> <li>horizontally</li> <li>dry</li> <li>protected against frost</li> <li>protected against climatic influences</li> </ul>				
Safety measures						
Shelf Life						
Notes		_				

6. Transport	
Transport	<ul><li>Non dangerous goods according to the transport regulations.</li><li>Secure against slipping.</li></ul>
Finished Product Packing	-
Notes	

#### 7. Fire – fighting measures



Print: 21/05/2025 • Release: 21/02/2025 • Version: 2.0 PIM-Version: 585 • PIM-ID: 718591 • PIM-Code: 585-42

# Röchling

Suitable extinguishing agents	• water
	• foam
	• CO <sub>2</sub>
	dry extinguishing media
Potential combustion products	• CO
	• CO <sub>2</sub>
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes Molten product has to be cooled with water. Fireresidues must be or disposed according to the local instructions.	

8. Removal				
Recyclability	Check possibility of recycling.			
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".			
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.			
EC Waste Code	<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>			
Notes	-			

9. Marking and Guidelines						
Marking in accordance with EE	EC Guideline	no labelling re	equired			
Notes	-	-				

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets

#### **11. Other Information**



Print: 21/05/2025 • Release: 21/02/2025 • Version: 2.0 PIM-Version: 585 • PIM-ID: 718591 • PIM-Code: 585-42



### Industrial

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.





Print: 21/05/2025 • Release: 21/02/2025 • Version: 2.0 PIM-Version: 585 • PIM-ID: 718591 • PIM-Code: 585-42