

Industrial

Product Handling Information Sheet Maywoflamm[®] ECE 37

1. Company					
Name/Address	Röchling Industrial Allgäu GmbH Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 9857-0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach				
2. Product details					
Product/Article	Semi-finished product (sheet or film)				
Abbreviated terms	ABS				
Material Characterisation	Thermoplastic				
Main Components	acrylonitrile butadiene styrenecontains additives and poss. color pigments				
Components Subject to labelling	none				
Classification according to REACh	Article				
Notes					

3. Product characteristics	
Form/State	• firm
Color	-
Odour	nearly odourless
Density	1,12
Melting range	>180
Glass transition temperature	
Thermal decomposition	> 300°C
Flash point	



Print: 21/05/2025 • Release: 30/08/2024 • Version: 3.0 PIM-Version: 83 • PIM-ID: 709690 • PIM-Code: 83-27

Röchling

Industrial

3. Product characteristics		
Ignition temperature	> 350°C	
Notes	_	

Special Risks For Mankind And Th Environment	e none
Notes	-
5. Handling and Storage	
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.
Storage	 horizontally dry protected against frost protected against climatic influences product protect against frost
Safety measures	
Shelf Life	
Notes	

6. Transport				
Transport	 Non dangerous goods according to the transport regulations. Secure against slipping. 			
Finished Product Packing	-			
Notes				

7. Fire – fighting measures





Suitable extinguishing agents	 water foam CO₂ dru powdor optinguiching agonte 		
Potential combustion products	 dry powder extinguishing agents CO CO₂ HCN AN Nox HBr SM 		
Necessary protection equipment	Complete protection equipment for fire-brigade.		
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.		
8. Removal			
Recyclability	Check possibility of recycling.		
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".		

	not dangerous .
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	• 12 01 05 plastics shavings and turnings
	• 20 01 39 plastics

Notes	

9. Marking and Guidelines				
Marking in accordance with EEC Gu	ideline no labelling	required		
Notes	-			

_

10. Information about REACh



Print: 21/05/2025 • Release: 30/08/2024 • Version: 3.0 PIM-Version: 83 • PIM-ID: 709690 • PIM-Code: 83-27



Industrial

Information about REACh

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.-

11. Other Information

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



Print: 21/05/2025 • Release: 30/08/2024 • Version: 3.0 PIM-Version: 83 • PIM-ID: 709690 • PIM-Code: 83-27