

## **Product Handling Information Sheet**

## Polystone<sup>®</sup> D nuclear natural

Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren
Technical semi-finished product or machined part
PE-HD / PE 500
Crosslinked plastic with additives
<ul> <li>polyethylene</li> <li>possibly olefin-copolymerisate</li> <li>stabiliser</li> <li>additives</li> <li>boron trioxide</li> </ul>
Boron trioxide (CAS-No. 1303-86-2)
Article
_
• firm
natural
nearly odourless
-





3. Product characteristics	
Glass transition temperature	-
Thermal decomposition	>390°C
Flash point	-
Ignition temperature	>390°C
Notes	_
4. Danger warnings	
Special Risks For Mankind And Environment	The none
Notes	Boron trioxide could react with water to boric acid
5. Handling and Storage	
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>
Storage	<ul> <li>horizontally</li> <li>dry</li> <li>protected against frost</li> <li>protected against climatic influences</li> </ul>
Safety measures	
Shelf Life	-
	Do not drink, eat or smoke during the machining process

Non dangerous goods according to the transport regulations.

Secure against slipping.



6. Transport
Transport

Notes

Finished Product Packing



7. Fire – fighting measures	5	
Suitable extinguishing agents		<ul> <li>foam</li> <li>CO<sub>2</sub></li> <li>dry powder extinguishing agents</li> </ul>
Potential combustion products		• CO • CO <sub>2</sub> • boron oxide
Necessary protection equipment		<ul> <li>Complete protection equipment for fire-brigade.</li> <li>Use self-contained air respirators during strong smoke and steam development.</li> </ul>
Notes		Molten product has to be cooled with water. Fire residues must be collected and disposed of according to the local instructions
8. Removal		
Recyclability		Check possibility of recycling.
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code		<ul> <li>17 02 04 glass / plastic and wood containing or contaminated with hazardous substances</li> </ul>
Notes		-
9. Marking and Guidelines		
Marking in accordance with	EEC Guidelin	e no labelling required
Notes		
10. Information about REA	<b>C</b> h	
Information about REACh		According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets





11. Other Information				
Other Information	The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.			



