Industrial

## Product Handling Information Sheet Polystone<sup>®</sup> DR confetti

\_

1. Company					
Name/Address		Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren			
2. Product details					
Product/Article		Technical semi-finished product or machined part			
Abbreviated terms		PE-HD / PE 500			
Material Characterisation		Semi crystalline plastic			
Main Components		<ul> <li>polyethylene</li> <li>possibly olefin-copolymerisate</li> <li>stabiliser</li> <li>additives</li> </ul>			
Components Subject to labelli	ing	none			
Classification according to RE	ACh	Article			
Notes		-			
3. Product characteristics					
Form/State		• firm			
Color		confetti			
Odour		nearly odourless			
Density		>0,95			
Melting range		130 135			



Glass transition temperature

# Röchling

Industrial

3. Product characteristics		
Thermal decomposition	> 390°C	
Flash point	≈ 340°C	
Ignition temperature	> 350°C	
Notes	-	

4. Danger warnings								
Special Risks For Mankind And The Environment		none						
Notes		-						
5. Handling and Storage								
Handling		<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>						
Storage		<ul> <li>horizontally</li> <li>dry</li> <li>protected against frost</li> <li>protected against climatic influences</li> </ul>						
Safety measures								
Shelf Life								
Notes		-						

6. Transport	
Transport	<ul><li>Non dangerous goods according to the transport regulations.</li><li>Secure against slipping.</li></ul>
Finished Product Packing	-
Notes	

#### 7. Fire – fighting measures



Print: 21/05/2025 • Release: 20/09/2023 PIM-Version: 782 • PIM-ID: 591102 • PIM-Code: 782-32



Suitable extinguishing agents	water				
	• foam				
	• CO <sub>2</sub>				
	<ul> <li>dry powder extinguishing agents</li> </ul>				
Potential combustion products	• CO				
	• CO <sub>2</sub>				
Necessary protection equipment	Complete protection equipment for fire-brigade.				
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.				

8. Removal					
Recyclability	Check possibility of recycling.				
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".				
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.				
EC Waste Code	<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>				
Notes	-				

9. Marking and Guidelines						
Marking in accordance with EE	EC Guideline	no labelling re	equired			
Notes	-	-				

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets

#### **11. Other Information**




Print: 21/05/2025 • Release: 20/09/2023 PIM-Version: 782 • PIM-ID: 591102 • PIM-Code: 782-32



### Industrial

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.





Print: 21/05/2025 • Release: 20/09/2023 PIM-Version: 782 • PIM-ID: 591102 • PIM-Code: 782-32