Industrial

Product Handling Information Sheet

Polystone[®] M blue pressed

1. Company					
Name/Address		Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren			
2. Product details					
Product/Article		Technical semi-finished product or machined part			
Abbreviated terms		PE-UHMW / PE 1000			
Material Characterisation		Semi crystalline plastic			
Main Components		 polyethylene possibly olefin-copolymerisate stabiliser additives 			
Components Subject to labell	ing	none			
Classification according to RE	ACh	Article			
Notes		-			
3. Product characteristics					
Form/State		• firm			

Form/State	• firm				
Color	blue				
Odour	nearly odourless				
Density	>0,93				
Melting range	130 135				
Glass transition temperature	_				



Röchling

Industrial

3. Product characteristics			
Thermal decomposition	> 390°C		
Flash point	-		
Ignition temperature	> 350°C		
Notes	_		

Special Risks For Mankind And The Environment		none				
Notes		_				
5. Handling and Storage						
Handling		 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. 				
Storage		 horizontally dry protected against frost protected against climatic influences 				
Safety measures						
Shelf Life						
Notes		-				

6. Transport	
Transport	 Non dangerous goods according to the transport regulations. Secure against slipping.
Finished Product Packing	-
Notes	

7. Fire – fighting measures



Print: 22/07/2025 • Release: 25/03/2025 • Version: 4.0 PIM-Version: 944 • PIM-ID: 591126 • PIM-Code: 944-49



Suitable extinguishing agents	• water				
	• foam				
	• CO ₂				
	 dry powder extinguishing agents 				
Potential combustion products	• CO				
	• CO ₂				
Necessary protection equipment	 Complete protection equipment for fire-brigade. 				
Notes Molten product has to be cooled with water. Fireresidues must be co disposed according to the local instructions.					

8. Removal					
Recyclability	Check possibility of recycling.				
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".				
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.				
EC Waste Code	12 01 05 plastics shavings and turnings20 01 39 plastics				
Notes	-				

9. Marking and Guidelines						
Marking in accordance with EE	EC Guideline	no labelling re	equired			
Notes	-	-				

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets

11. Other Information




Print: 22/07/2025 • Release: 25/03/2025 • Version: 4.0 PIM-Version: 944 • PIM-ID: 591126 • PIM-Code: 944-49



Industrial

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.





Print: 22/07/2025 • Release: 25/03/2025 • Version: 4.0 PIM-Version: 944 • PIM-ID: 591126 • PIM-Code: 944-49