

# **Product Handling Information Sheet**

# Polystone® MPG green

1. Company			
Name/Address		Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren	
2. Product details			
Product/Article		Technical semi-finished product or machined part	
Abbreviated terms		PE-UHMW / PE 1000	
Material Characterisation		Semi crystalline plastic	
Main Components		<ul><li>polyethylene</li><li>possibly olefin-copolymerisate</li><li>stabiliser</li><li>additives</li></ul>	
Components Subject to labell	ling	none	
Classification according to RE	EACh	Article	
Notes		-	
3. Product characteristics			
Form/State		• firm	
Color		green	
Odour		nearly odourless	
Density		>0,96	
Melting range		135	
Glass transition temperature		_	





Thermal decomposition	> 390°C	
Flash point	≈ 340°C	
Ignition temperature	> 350°C	
Notes	_	

4	. L	Jai	nge	r wa	arnı	ngs

Special Risks For Mankind Al Environment	nd The	none	
Notes		-	

### 5. Handling and Storage

Handling  Product can be worked with conventional machines and tools.  Before machining the product should have room temperature and/or to be stored min. 24h under normal climatic conditions.  Storage  horizontally dry protected against frost protected against climatic influences  Safety measures  Shelf Life  Notes  Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored min. 24h under normal climatic conditions.  horizontally dry protected against frost protected against climatic influences	5. Handling and Storage	
• dry • protected against frost • protected against climatic influences  Safety measures  Shelf Life  —	Handling	Before machining the product should have room temperature and/or to be stored for
Shelf Life –	Storage	<ul><li> dry</li><li> protected against frost</li></ul>
	Safety measures	
Notes –	Shelf Life	
	Notes	

## 6. Transport

Transport	Non dangerous goods according to the transport regulations.
	Secure against slipping.
Finished Product Packing	
Notes	-

## 7. Fire – fighting measures



## Industrial



Suitable extinguishing agents	• water
	• foam
	• CO <sub>2</sub>
	dry powder extinguishing agents
Potential combustion products	• CO
	• CO <sub>2</sub>
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>
Notes	-

#### 9. Marking and Guidelines

Marking in accordance with EEC Guideline no labelling required

Notes -

#### 10. Information about REACh

Information about REACh

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.-

#### 11. Other Information







Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



