

Product Handling Information Sheet Sustadur[®] PET GLD 120 grey

1. Company Name/Address Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein 2. Product details Product/Article Engineering semi-finished product Abbreviated terms PET Material Characterisation Thermoplastic Main Components • polyethylene terephtalate • contains evtl. colour pigments Components Subject to labelling none Classification according to REACh Article Notes _

3. Product characteristics		
Form/State	• solid	
Color	grey	
Odour	• odourless	
Density	1,41	
Melting range	248	
Glass transition temperature		
Thermal decomposition	>300 °C	
Flash point	-	



Röchling

Industrial

3. Product characteristics		
Ignition temperature	>420 °C	
Notes		

4. Danger warnings					
Special Risks For Mankind And The Environment	none				
Notes	-				
5. Handling and Storage					
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. 				
Storage	 horizontally dry protected against climatic influences 				
Safety measures					
Shelf Life	-				

6. Transport	
Transport	 Not classified as hazardous good under transport regulations.
Finished Product Packing	-
Notes	_

-

7. Fire – fighting measures	
Suitable extinguishing agents	• water
	• foam
	 dry extinguishing media
	• CO ₂



Print: 21/05/2025 • Release: 16/07/2024 • Version: 7.0 PIM-Version: 890 • PIM-ID: 591324 • PIM-Code: 890-26

Notes

Röchling

7. Fire – fighting measures				
Potential combustion products	carbon monoxide			
Necessary protection equipment	• Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.			
Notes	Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.			

8. Removal						
Recyclability	Check possibility of recycling. According the European waste catalogue (EAK) the product is not classified as hazardous.					
EC Waste Catalog						
Waste Removal	Waste disposal by landfill or incineration in compliance with state and local regulations.					
EC Waste Code	12 01 05 plastics shavings and turnings07 02 13 waste plastic					
Notes						
9. Marking and Guidelines						

Marking in accordance with E	EC Guide	eline not s	ubiect to	labelling			
Notes		_					
						 <u> </u>	

ing to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are defined as articles, exempt from registration. The EU regulation about chemicals 07/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Data Sheets only for dangerous substances and preparations. According to a we are manufacturing articles and, therefore, not required to issue safety
эс у

11. Other Information	
Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.



Print: 21/05/2025 • Release: 16/07/2024 • Version: 7.0 PIM-Version: 890 • PIM-ID: 591324 • PIM-Code: 890-26