

Product Handling Information Sheet

165

>240 °C

Sustarin® C FG blue

1. Company		
Name/Address	Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0	
	info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein	
2. Product details		
Product/Article	Engineering semi-finished product	
Abbreviated terms	POM-C	
Material Characterisation	Thermoplastic	
Main Components	polyacetal copolymercontains evtl. colour pigments	
Components Subject to labelling	none	
Classification according to REACh	Article	
Notes		
3. Product characteristics		
Form/State	• solid	
Color	blue	
Odour	• odourless	
Density	1,41	



Melting range

Flash point

Glass transition temperature

Thermal decomposition



3. Product characteristics	
Ignition temperature	>320 °C
Notes	-
4. Danger warnings	
Special Risks For Mankind And Th Environment	e none
Notes	-
5. Handling and Storage	
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.
Storage	horizontallydryprotected against climatic influences
Safety measures	
Shelf Life	-
Notes	-
6. Transport	
Transport	Not classified as hazardous good under transport regulations.
Finished Product Packing	
Notes	-
7. Fire – fighting measures	
Suitable extinguishing agents	• water
	• foam
	dry extinguishing media





7. Fire – fighting measures			
Potential combustion products Necessary protection equipment		 carbon monoxide formaldehyde – formation of further fission and oxidation products depend upon th fire conditions (traces of any other toxic substances can not be excluded) 	
		 Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus. 	
Notes		Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.	
8. Removal			
Recyclability		Check possibility of recycling.	
EC Waste Catalog		According the European waste catalogue (EAK) the product is not classified as hazardous.	
Waste Removal		Waste disposal by landfill or incineration in compliance with state and local regulations	
EC Waste Code		12 01 05 plastics shavings and turnings07 02 13 waste plastic	
Notes		-	
9. Marking and Guidelines			
Marking in accordance with E	EC Guideli	ine not subject to labelling	
Notes		-	
10. Information about REAG	Ch		
Information about REACh		According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemical no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Materia Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets	

recepient of our products on his own authority.

All above mentioned information are based on our current state of knowledge and

ensure no warranty of quality. Existing laws and regulations have to be observed by the



11. Other Information

Other Information