

Product Handling Information Sheet

Sustarin® C natural

1. Company		
Name/Address		Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein
2. Product details		
Product/Article		Engineering semi-finished product
Abbreviated terms		POM-C
Material Characterisation		Thermoplastic
Main Components		polyacetal copolymer
Components Subject to labelling	ng	none
Classification according to REACh		Article
Notes		-
3. Product characteristics		
Form/State		• solid
Color		natural
Odour		• odourless
Density		1,41
Melting range		165
Glass transition temperature		_
Thermal decomposition		>240 °C
Flash point		<u>-</u>
Ignition temperature		>320 °C





3. Product characteristics	
Notes	
4. Danger warnings	
Special Risks For Mankind And The Environment	none
Notes	_
5. Handling and Storage	
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored fo min. 24h under normal climatic conditions.
Storage	 horizontally dry protected against climatic influences
Safety measures	 A good aeration during the machining process must be secured. Ensure compliance with applicable exposure limits.
Shelf Life	7-
Notes	7
6. Transport	
Transport	Not classified as hazardous good under transport regulations.
Finished Product Packing	_
Notes	-
7. Fire – fighting measures	
Suitable extinguishing agents	waterfoamdry extinguishing media





7. Fire – fighting measures			
Potential combustion products Necessary protection equipment		 carbon monoxide formaldehyde – formation of further fission and oxidation products depend upon the fire conditions (traces of any other toxic substances can not be excluded) 	
		 Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus. 	
Notes		Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.	
8. Removal			
Recyclability		Check possibility of recycling.	
EC Waste Catalog		According the European waste catalogue (EAK) the product is not classified as hazardous.	
Waste Removal		Waste disposal by landfill or incineration in compliance with state and local regulations.	
EC Waste Code		12 01 05 plastics shavings and turnings07 02 13 waste plastic	
Notes		-	
9. Marking and Guidelines			
Marking in accordance with E	EC Guidelir	ne not subject to labelling	
Notes			
10. Information about REAC	h		
Information about REACh		According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets	

recepient of our products on his own authority.

All above mentioned information are based on our current state of knowledge and

ensure no warranty of quality. Existing laws and regulations have to be observed by the



11. Other Information

Other Information