

Product Handling Information Sheet

175

>325 °C

Sustarin[®] H black

1. Company

NI		Disability industrial Laboratain CE 9 Co. I/C
Name/Address		Röchling Industrial Lahnstein SE & Co. KG
		Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0
		info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein
2. Product details		
Product/Article		Engineering semi-finished product
Abbreviated terms		РОМ-Н
Material Characterisation		Thermoplastic
Main Components		polyacetal homopolymercontains evtl. colour pigments
Components Subject to labelli	ng	none
Classification according to RE	ACh	Article
Notes		_
3. Product characteristics		
Form/State		• solid
Color		black
Odour		• odourless
Density		1,42



Melting range

Flash point

Glass transition temperature

Thermal decomposition



3. Product characteristics	
Ignition temperature	>375 °C
Notes	-
4. Danger warnings	
Special Risks For Mankind And The Environment	e none
Notes	-
5. Handling and Storage	
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.
Storage	horizontallydryprotected against climatic influences
Safety measures	
Shelf Life	7-
Notes	-
6. Transport	
Transport	Not classified as hazardous good under transport regulations.
Finished Product Packing	-
Notes	-
7. Fire – fighting measures	
Suitable extinguishing agents	water foam
	dry extinguishing media





7. Fire – fighting measures		
Potential combustion products	 carbon monoxide formaldehyde – formation of further fission and oxidation products depend upon the fire conditions (traces of any other toxic substances can not be excluded) 	
Necessary protection equipment	 Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus. 	
Notes	Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.	

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	According the European waste catalogue (EAK) the product is not classified as hazardous.
Waste Removal	Waste disposal by landfill or incineration in compliance with state and local regulations.
EC Waste Code	12 01 05 plastics shavings and turnings07 02 13 waste plastic
Notes	-

9. Marking and Guidelines

Marking in accordance with EEC Guideline not subject to labelling

Notes -

10. Information about REACh

Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are
	clearly defined as articles, exempt from registration. The EU regulation about chemicals
	no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material
	Safety Data Sheets only for dangerous substances and preparations. According to
	REACh we are manufacturing articles and, therefore, not required to issue safety
	sheets

11. Other Information

Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.
	· · · · · · · · · · · · · · · · · · ·

