

Product Handling Information Sheet

Trovidur[®] PHT

1. Company			
Name/Address		Röchling Industrial SE & Co. KG - Troisdorf Mülheimer Str. 26 - Geb. 115 • 53840 Troisdorf/DE • Tel. +49 2241 4820-0 info@roechling-plastics.com • www.roechling.com/industrial/troisdorf	
2. Product details			
Product/Article		Technical semi-finished product or machined part	
Abbreviated terms		PVC-C	
Material Characterisation		Amorphous plastic	
Main Components		polyvinyl chloridestabiliseradditive	
Components Subject to labelling		none	
Classification according to REACh		Article	
Notes			
3. Product characteristics			
Form/State		• firm	
Color		grey	
Odour		nearly odourless	
Density		1,64	
Melting range		-	
Glass transition temperature		-	
Thermal decomposition		> 180°C	





3. Product characteristics	
Flash point	-
Ignition temperature	> 450°C
Notes	
4. Danger warnings	
Special Risks For Mankind And Environment	The none
Notes	
5. Handling and Storage	
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. While the processing sufficient for enough airing or by smoke attack provide for a extraction.
Storage	 horizontally dry protected against frost protected against climatic influences do not store with flammable materials
Safety measures	 Protect against overheating. Carry protective oxygen mask when the inhalation of particles cannot be avoided.
Shelf Life	-
Notes	By the processing under high temperatures gases can outcome, these gases can cause irritation the eyes and respiratory tract.
6. Transport	
Transport	Non dangerous goods according to the transport regulations.Secure against slipping.
Finished Product Packing	-
Notes	-





7. Fire – fighting measures	
Suitable extinguishing agent	 water mist foam dry powder extinguishing agents
Potential combustion produc	• carbon monoxide • CO ₂ • hydrochloric acid • hydrocarbon
Necessary protection equipr	Complete protection equipment for fire-brigade.
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.
8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	12 01 05 plastics shavings and turnings20 01 39 plastics
Notes	7
9. Marking and Guidelines	
Marking in accordance with	EEC Guideline no labelling required
Notes	-
10. Information about REA	Ch
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets





11. Other Information	
Other Information	The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



